8300104

TO ALL TO WHOM THESE: PRESENTS SHALL COME:

Nickerson American Plant Breeders, Inc.

Wilhereas. There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-YEARS FROM THE DATE OF THIS GRANT, SUBJECT CANT(S) FOR THE TERM OF eighteen TO THE PAYMENT OF THE REQUIRED PEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, R IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. E UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS S OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

 ω HEAT

'Magnum'

In Testimony Withereof, I have hereunto set my hand and caused the seal of the Blaut Variety Protection Office to be affixed at the City of Washington this 30th day of August the year of our Lord one thousand nine hundred and eighty-five.

	UNITED STATES DEPARTME AGRICULTURAL MARK	KETING SERVICE			FORM APPROVE OMB NO 40-R38
. :	LIVESTOCK, POULTRY, GRA APPLICATION FOR PLANT VARIE INSTRUCTIONS: See Reverse,		N CERTIFICATE		ant variety protection ma
	18. TEMPORARY DESIGNATION OF	16. VARIETY NAME			IAL USE ONLY
	SW73-16A-78	Magnum		PV NUMBER 8300	
	2. KIND NAME	3. GENUS AND SPEC	CIES NAME	FILING DATE	TIME A.A
	Soft red winter wheat	<u>Triticum</u> a	estivum	4/5/83 FEE RECEIVED	9:30 XXX
	4. FAMILY NAME (BOTANICAL)	5. DATE OF DETER		s 1,000	4/5/83
2. c	Gramineae	1) Sept., 1 2) Sept., 1		\$ 500.00	7/16/85
野み	6. NAME OF APPLICANT(S) NICKERSON	7. ADDRESS (Street Code)	and No. or R.F.D. No.,	City, State, and ZIP	8. TELEPHONE AREA
S. F. E	North American Plant Breede	,	on Dr., P.O. Bo 66201	ox 2955	913-384-4940 K 303-532-3721 C
	9. IF THE NAMED APPLICANT IS NOT A PE ORGANIZATION: (Corporation, partnership	RSON, FORM OF ip, association, etc.)	10. IF INCORPORATE DATE OF INCORE		11. DATE OF INCOR-
	Partnership		Stamford	, CT	March 1973
EL 8	12. NAME AND MAILING ADDRESS OF APPL ALL PAPERS: R.E. HEINER	ICANT REPRESENTA	TIVE(S), IF ANY, TO S	SERVE IN THIS APPLIC	ATION AND RECEIVE
E 7 8	G.E. Dixon	•	R .E. Heine	er or C. Bruns	DR. KOY E. MISK
4 25 X	P.O. Box 2955	5007	P.O. Box 3		R.R. 2 , BCX 411 BROCKSTON, EN
9.3	Mission, KS 6	6201 IMENT SUBMITTED:	Berthoud,	CO 80513	479 23
Ede # 45 9 3/16	13A. Exhibit A, Origin and Bree	ding History of the V	ariety (See Section 5	2 of the Plant Variet	y Protection Act.)
	13B. Exhibit B, Novelty Stateme	en t.	•		
٠	13C. Exhibit C, Objective Descri	iption of the Variety	(Request form from .	Plant Variety Protect	ion Office.)
	13D. Exhibit D, Additional Desc		7.		•
,	X 13E. Exhibit E, Quality	y Data.			-
•	14a. DOES THE APPLICANT(S) SPECIFY THAT SEED? (See Section 83(a). (If "Yes," answe	r 14B and 14C below.)		IETY NAME ONLY AS	A CLASS OF CERTIFIE
	14b. DOES THE APPLICANT(S) SPECIFY THAT LIMITED AS TO NUMBER OF GENERATION TVI VEG.	THIS VARIETY BE ONS?	14c. IF "YES," TO 14E TION BEYOND B	REEDER SEED?	
-	X YES NO		X FOUNDATION	REGISTERED	CERTIFIED
	15a. DID THE APPLICANT(S) FILE FOR PROTE name of countries and dates.)	ECTION OF THIS VARI	ETY IN OTHER COUN	TRIES? YES	NO (If "Yes," give
	15b. HAVE RIGHTS BEEN GRANTED THIS VAI	RIETY IN OTHER COU	NTRIES? YES	NO (If "Yes,"	give name of countries
1					
		•			
	16. DOES THE APPLICANT(S) AGREE TO THE JOURNAL? X YES	PUBLICATION OF HIS	S/HER (THEIR) NAME	(S) AND ADDRESS IN	THE OFFICIAL
_	17. The applicant(s) declare(s) that a viable	sample of basic seed	of this variety will be	furnished with the a	pplication and will be
	replenished upon request in accordance			E 200 (17) P	
	The undersigned applicant(s) is (are) the variety is distinct, uniform, and stable as 42 of the Plant Variety Act.	s required in Section	ually reproduced nov 41, and is entitled to	el plant variety, and l protection under the	provisions of Section
: .	Applicant(s) is (are) informed that false	representation herein	ı can jeopardize prote	ection and result in p	enalties.
	march 16, 1983		PE	Heiner	<u> </u>
	(DATE)		$\bigvee_{i} V_{(g)}$	GNATURE OF APPLIC	CANT)
_	March 21 1983.		(/.\\	Miscro.	
i	(DATE) (FORM GR-470 (1-78)		Cis	ENATURE OF APPLIC	CANT)
	-		ر ح		

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF MAGNUM

PEDIGREE: Blueboy/W504//Arthur 71

DATE OF CROSS: Fall, 1972

BREEDING HISTORY:

The breeding history began in the Fall of 1972 with a cross between Blueboy and W504. The resulting F1 was then crossed to Arthur 71 in the spring of 1973. The F1 was increased in the field in 1974. F2 selections were made in 1975 in the field and advanced by single seed descent through the F3 and F4 generations in 1976. Single F5 head-rows were grown in 1977 and selections were made. From the 1978 preliminary yield trials, a line was identified which became SW73-16A-78. In 1979, this line was tested at several locations in intermediate yield trials. Two hundred seventy-two,head-rows were planted in 1980 at Brookston, IN and 200 of these were selected and bulked to produce breeders seed. Approximately 11,500 pounds of Foundation seed were produced in 1982.

Magnum is uniform and stable. Less than 1% of the plants were rogued from Foundation fields. Approximately .2% of the plants were three to ten centimeters taller than Magnum, .1% were short awned plants, .1% tall awned plants, .1% bronze chaff, and .01% purple straw plants. These off-types may be found in subsequent generations of Magnum in a frequency up to .6%.

EXHIBIT B

NOVELTY STATEMENT

Magnum is most similar to the soft red winter wheats Arthur 71 and McNair 1003. However, it can be distinguished on the following morphological characteristics:

- Magnum has an oblique shoulder shape. McNair 1003 has a round shoulder shape. (See "Registration of McNair 1003"; Vol. 20, page 828.) Arthur 71 has a round shoulder shape. (PVPO Patent #72084.)
- Magnum's glumes at maturity are medium in length, and medium in width. McNair 1003's glumes at maturity are long in length, and wide in width. (See "Registration of McNair 1003"; Vol. 20, page 828.)
- Magnum has a fawn phenol reaction, color category #2. McNair 1003 has a brown phenol reaction, color category #4. Arthur 71 has a brown phenol reaction, color category #4. (PVPO patent #72084.)
- Magnum has a more nodding head character at maturity than McNair 1003.
- Magnum has a twisted flag leaf. Arthur 71 has a flag leaf that is not twisted. (PVPO patent #72084.)
- Magnum has an awnleted head. Arthur 71 has an apically awnleted head. (PVPO patent #72084.)
- Magnum displays no hairs on the auricles. Arthur 71 displays hairs on the auricles. (PVPO patent #72084.)
- Magnum has a middense head. Arthur 71 has a lax head. (PVPO patent #72084.)

FORM APPROVED. OMB NO. 40-R3712

FORM GR-470-6 (2-15-73) UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782

EXHIBIT C (Wheat)

OBJECTIVE DESCRIPTION OF VARIETY

marked in the recorder	AT (TRITICUM SPP.)	
NAME CLAPPLICANTIS North American Plant Breeders, エルセム	· · · · · · · · · · · · · · · · · · ·	. FOR OFFICIAL USE ONLY
North American Plant Breeders, IN C. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Co	ode)	8300104
5201 Johnson Drive, P.O. Box 2955		VARIETY NAME OR TEMPORARY DESIGNATION
Mission, KS 66201		MAGNUM
Place the appropriate number that describes the varietal of Place a zero in first box (e-g- 0 8 9 or 0 9) when		
I. KIND:		
1 1 = COMMON 2 = DURUM 3 = EMMER 4 = SPEI	LT 5 = POLISH 6 = POU	LARD 7 = CLUB
2. TYPE,	. 1 = SOFT	3 = OTHER (Specify)
2 1 = SPRING 2 = WINTER 3 = OTHER (Specify)	1 2 = HARD	
2 1 = WHITE 2 = RED 3 = OTHER (Specify)		
3. SEASON - NUMBER OF DAYS FROM TO:		
1 4 0 FIRST FLOWERING January 1	1 4 8 LAST	T FLOWERING
4. MATURITY (50% Flowering):		
0 3 NO. OF DAYS EARLIER THAN	7 1 = ARTHUR	2 = SCOUT 3 = CHRIS
NO. OF DAYS LATER THAN	4 = LEMHI 7=0asis	5 = NUGAINES 6 = LEEDS
5. PLANT HEIGHT (From soil level to_top of head):	. ,	
0 9 0 cm. HIGH		
CM. TALLER THAN] = ARTHUR	2 = SCOUT 3 = CHRIS
0 8 CM. SHORTER THAN	7 4 = LEMHI 7=0asis	5 = NUGAINES 6 = LEEDS
6. PLANT COLOR AT BOOTING (See reverse):	7. ANTHER COLOR:	
2 1 = YELLOW GREEN 2 = GREEN 3 = BLUE GREE	1 1 = YELLOW	2 = PURPLE
8. STEM:	·	
Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Waxy bloom: 1	= ABSENT 2 = PRESENT
Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT	Internodes: 1 =	HOLLOW 2 = SOLID
0 4 NO. OF NODES (Originating from node above ground)		RNODE LENGTH BETWEEN FLAG LEAF F BELOW :
9. AURICLES:	, 	*
2 Anthocyanin: 1 = ABSENT 2 = PRESENT		ABSENT 2 = PRESENT
IO, LEAF:	——————————————————————————————————————	
2 Flag leaf at 1 = ERECT 2 = RECURVED booting stage: 3 = OTHER (Specify):	2 Flag leaf: 1 =	NOT TWISTED 2 = TWISTED
Hairs of first leaf sheath: 1 = ABSENT 2 = PRESENT	7 2 Waxy bloom of f	lag leaf sheath: 1 = ABSENT 2 = PRESENT
MM. LEAF WIDTH (First leaf below fleg leaf)	2: 0 cm. LEAF	LENGTH (First leaf below flag leaf):

Shape: = TAPERING 2 = STRAP 3 = CLAVATE	·	00040
Shape: = TAPERING 2 = STRAP 3 = CLAVATE	Magnum	8300104
Density:] = LAX 2 = DENSE 3=middense Ave. 50 mm Ave. 5	FORM GR-470-6 (REVERSE)	
3 Annedess: 1 = AWNLESS 2 = APICALLY AWNLETED 3 = AWNLETED 4 = AWNED 1 Color at maturity: 5 = BROWN 6 = BLACK 7 = OTHER (Specify): 7 7 7 CM. LENGTH 2 COLUMES AT MATURITY: 2 CHUMES AT MATURITY: 2 Leagth: 1 = SHORT (CA. 7 mm.) 2 = MEDIUM (CA. 8 mm.) 2 = MEDIUM (CA. 8 mm.) 3 = LIONG (CA. 9 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 3 = LONG (CA. 9 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 3 = LONG (CA. 9 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 3 = LONG (CA. 9 mm.) 3 = LONG (CA. 9 mm.) 3 = WIDE (CA. 4 mm.) 3 = ACUMINATE 3 = ACUMI	3 Density: 1 = LAX 2 = DENSE 3=middense	1 7 1
Color at matority: 5 = BROWN 6 = BLACK 7 = OTHER (Specify) 1 0 MM. WIDTH 2 MM. WIDTH 2 MEDIUM (CA. 8 mm.) 2 MEDIUM (CA. 8 mm.) 2 MEDIUM (CA. 3 mm.) 2 = MEDIUM (CA. 3 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 3 = WI		3 = AWNLETED 4 = AWNED
COLUMES AT MATURITY: COLUMN CA. 3.5 am. COLUMES AT MATURITY: COLUMN CA. 3.5 am. COLUMN CA. 3.5 am. COLUMN CA. 4 am. COLUMN CA. 3.5 am. COLUMN CA. 4 am. COLUMN CA. 3.5 am. COLUMN CA. 4 am. COLUMN CA. 4 am. COLUMN CA. 4 am. COLUMN CA. 3.5 am. COLUMN CA. 4 am. COLUMN CA. 4 am. COLUMN CA. 4 am. COLUMN CA. 3.5 am. COLUMN CA. 4 am. COLUMN CA. 4 am. COLUMN CA. 3.5 am. COLUMN CA. 4 am. CO	l = WHITE 2 = YELLOW 3 = PINK 4 Color at maturity: 5 = BROWN 6 = BLACK 7 = OTHE	
Length: 1 = SHORT (CA. 7 mm.) 2 = MEDIUM (CA. 8 mm.) 2 = MEDIUM (CA. 8 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.) 3 = MEDIUM (CA. 3.5 mm.) 3 = MEDIUM (CA. 3.		1 0 MM. WIDTH
Shape: 4 = SQUARE 5 = ELEVATED 6 = APICULATE 3. COLORTILE COLOR: 3. JUVENILE PLANT GROWTH HABIT: 2. 1 = PROSTRATE 2 = SEMI-ERECT 3 = ERECT 4 = PROUNDED 2 = ANGULAR 1 Disable: 1 = NOT COLLARED 2 Stabpe: 1 = OVATE 2 = OVAL 3 = ELLIPTICAL 1 Cheek: 1 = ROUNDED 2 ANGULARED 2 Stabpe: 1 = OVATE 2 = OVAL 3 = ELLIPTICAL 1 Cheek: 1 = ROUNDED 2 ANGULARED 2 Stabpe: 1 = NOT COLLARED 2 Phenol reaction 1 = IVORY	Length: 1 = SHORT (CA. 7 mm.) 2 = MEDIUM (CA. 8 mm.)	
1 1 = white 2 = RED 3 = PURPLE 1 1 1 = ABSENT 2 = PRESENT 2 1 = PROSTRATE 2 SEED	Z shape: 4 = SQUARE 5 = ELEVATED 6 = APICULATE	Beak: 1 = OBTUSE 2 = ACUTE 3 = ACUMINATE
JUVENILE PLANT GROWTH HABIT: 2 1 = PROSTRATE 2 = SEMI-ERECT 3 = ERECT 3 = SEED: 1 Shape: 1 = OVATE 2 = OVAL 3 = ELLIPTICAL 1 Cheek: 1 = ROUNDED 2 = ANGULAR 2 Brush: 1 = SHORT 2 = MEDIUM 3 = LONG 1 Brush: 1 = NOT COLLARED 2 = COLLARED 2 Phenol reaction 1 = IVORY	13. COLEOPTILE COLOR:	14. SEEDLING ANTHOCYANIN:
2 1 = PROSTRATE 2 = SEMI-ERECT 3 = ERECT SEED: Shape: 1 = OVATE 2 = OVAL 3 = ELLIPTICAL 1 Cheek: 1 = ROUNDED 2 = ANGULAR Shape: 1 = SHORT 2 = MEDIUM 3 = LONG 1 Brush: 1 = NOT COLLARED 2 = COLLARED Phenol reaction 1 = IVORY* 2 = FAWN 3 = LT. BROWN 5 = BLACK 3 Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) SEED CREASE: 1 White: 1 = 60% OR LESS OF KERNEL WINOKA' 2 = 80% OR LESS OF KERNEL WINOKA' 2 = 80% OR LESS OF KERNEL 'CHRIS' 3 = NOT OR LESS OF KERNEL 'CHRIS' 3 = 50% OR LESS OF KERNEL 'CHRIS' 3 = 50% OR LESS OF KERNEL 'LEMHI' 0 LOOSE SMUT 0 LOOSE SMUT 0 LOOSE SMUT 0 Chaces) THER (Specify) SBMV 3 BYDV, Septoria, RISSECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3 Moderate Resistant 4 Moderate Susceptible SAWFLY 0 APHID (Bydv.) 0 GREEN BUG 0 CEREAL LEAF BEETLE OTHER (Specify) 0 GREEN BUG 0 CEREAL LEAF BEETLE OTHER (Specify) 0 GREEN BUG 0 CEREAL LEAF BEETLE OTHER (Specify) 0 GREEN BUG 0 CEREAL LEAF BEETLE OTHER (Specify) 0 GREEN BUG 0 CEREAL LEAF BEETLE 0 CEREAL LEAF BEETLE 0 CEREAL LEAF BEETLE 0 CHERCAGES 2] 1 = WHITE 2 = RED 3 = PURPLE	1 1 = ABSENT 2 = PRESENT
SEED: Shape: = OVATE 2 = OVAL 3 = ELLIPTICAL 1 Cheek: 1 = ROUNDED 2 = ANGULAR	15. JUVENILE PLANT GROWTH HABIT:	<u>.</u>
Shape: I = OVATE 2 = OVAL 3 = ELLIPTICAL Cheek: I = ROUNDED 2 = ANGULAR Distriction Districti	2 I = PROSTRATE 2 = SEMI-ERECT 3 = EREC	э т
2 Brush: 1 = SHORT 2 = MEDIUM 3 = LONG 1 Brush: 1 = NOT COLLARED 2 = COLLARED 2 Phenol reaction (See Instructions): 4 = BROWN 5 = BLACK 3 Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) 5 7 MM. LENGTH 3 4 MM. WIDTH 3 6 GM. PER 1000 SEEDS SEED CREASE: Width: 1 = 60% OR LESS OF KERNEL 'WINOKA' 2 = 80% OR LESS OF KERNEL 'CHRIS' 3 = NEARLY AS WIDE AS KERNEL 'LEMHI' DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) Moderate Resistant 4) Moderate Susceptible STEM RUST (Races) POWDERY MILDEW 0 BUNT 1 Depth: 1 = 20% OR LESS OF KERNEL 'SCOUT' 2 = 33% OR LESS OF KERNEL 'LEMHI' 3 = 50% OR LESS OF KERNEL 'LEMHI' 0 STRIPE RUST (Races) 0 CHER (Specify) SBMV 3 BYDV, Septoria, R. INSECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) O APHID (Bydv.) O GREEN BUG O CEREAL LEAF BEETLE OTHER (Specify) HESSIAN FLY O APHID (Bydv.) O GREEN BUG O CEREAL LEAF BEETLE	16. SEED:	
Phenol reaction 1 = IVORY 2 = FAWN 3 = LT. BROWN 2 = FAWN 5 = BLACK 3 Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) 5 7 MM. LENGTH 3 4 MM. WIDTH 3 6 GM. PER 1000 SEEDS 5 5 7 MM. LENGTH 3 4 MM. WIDTH 3 6 GM. PER 1000 SEEDS 5 5 7 MM. LENGTH 3 4 MM. WIDTH 3 6 GM. PER 1000 SEEDS 5 5 7 MM. LENGTH 3 4 MM. WIDTH 3 6 GM. PER 1000 SEEDS 5 5 7 MM. LENGTH 1 = 20 % OR LESS OF KERNEL 'SCOUT' 2 = 80 % OR LESS OF KERNEL 'CHRIS' 3 = 50 % OR LESS OF KERNEL 'CHRIS' 3 = 50 % OR LESS OF KERNEL 'LEMHI' 3 = 50 % OR LESS OF KERNEL 'LEMHI' 3 = 50 % OR LESS OF KERNEL 'LEMHI' 5 5 5 5 6 6 7 6 7 6 7 7 7 7	Shape: 1 = OVATE 2 = OVAL 3 = ELLIPTICAL	Cheek: 1 = ROUNDED 2 = ANGULAR
(See instructions): 4 = BROWN 5 = BLACK Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE 5 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = OTHER (Specify) Color: 1 = WHITE 2 = AMBER 3 = OTHER (Specify) Color: 2 = AMBER 3 = OTHER (Specify)	2 Brush: 1 = SHORT 2 = MEDIUM 3 = LONG	Brush: 1 = NOT COLLARED 2 = COLLARED
SEED CREASE: Width: 1 = 60% OR LESS OF KERNEL 'WINOKA' 2 = 80% OR LESS OF KERNEL 'CHRIS' 3 = NEARLY AS WIDE AS KERNEL 'LEMHI' DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) POWDERY MILDEW DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) POWDERY MILDEW DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) O BUNT DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) O CEREAL LEAF BEETLE OTHER (Specify) O GREEN BUG OTHER (Specify) OTHER (Specify) O APHID (Bydv.) O GREEN BUG O CEREAL LEAF BEETLE	91-	N .
SEED CREASE: Width: 1 = 60% OR LESS OF KERNEL 'WINOKA' 2 = 80% OR LESS OF KERNEL 'CHRIS' 3 = NEARLY AS WIDE AS KERNEL 'LEMHI' DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) Moderate Resistant 4) Moderate Susceptible STEM RUST (Races) Depth: 1 = 20% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'CHRIS' 3 = 50% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 3 = 50% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 3 = 50% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 3 = 50% OR LESS OF KERNEL 'CHRIS' 4	Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE	5 = OTHER (Specity)
Width: 1 = 60% OR LESS OF KERNEL 'WINOKA' 2 = 80% OR LESS OF KERNEL 'CHRIS' 3 = NEARLY AS WIDE AS KERNEL 'LEMHI' DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) Moderate Resistant C (Races) Depth: 1 = 20% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'CHRIS' 3 = 50% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 3 = 50% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 3 = 50% OR LESS OF KERNEL 'SCOUT' 4 Moderate Susceptible 5 STRIPE RUST O LOOSE SMUT C O LOOSE SMUT 1 Depth: 1 = 20% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 3 = 50% OR LESS OF KERNEL 'SCOUT' 4 Moderate Susceptible 5 O LOOSE SMUT 5 O LOOSE SMUT 6 O LOOSE SMUT 6 O LOOSE SMUT 7 O LOOSE SMUT 8 O LOOSE SMUT 9 O LOOSE SMUT 1 Depth: 1 = 20% OR LESS OF KERNEL 'SCOUT' 2 = 35% OR LESS OF KERNEL 'SCOUT' 3 = 50% OR LESS OF KERNEL 'CHRIS' 4 Moderate Susceptible 5 O LOOSE SMUT 6 O LOOSE SMUT 6 O LOOSE SMUT 7 O LOOSE SMUT 9 O LOOSE SMUT 9 O LOOSE SMUT 1 O LOOSE SMUT 2 O LOOSE SMUT 1 O LOOSE SMUT 2 O LOOSE SMUT 3 O LOOSE SMUT 4 O LOOSE SMUT 5 O LOOSE SMUT 6 O LOOSE SMUT 9 O LOOSE SMUT 1 O LOOSE	5 7 MM. LENGTH 3 4 MM. WIDTH	3 6 GM. PER 1000 SEEDS
2 = 80% OR LESS OF KERNEL 'CHRIS' 3 = NEARLY AS WIDE AS KERNEL 'LEMHI' DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) Moderate Resistant 4) Moderate Susceptible STEM RUST (Races) 0 STRIPE RUST 0 LOOSE SMUT POWDERY MILDEW 0 BUNT 2 OTHER (Specify) SBMV 3 BYDV, Septoria, RI INSECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) Moderate Resistant 4) Moderate Susceptible SAWFLY 0 APHID (Bydv.) 0 GREEN BUG 0 CEREAL LEAF BEETLE OTHER (Specify) A 3 B 2 C RACES: 2	7. SEED CREASE:	
3 = NEARLY AS WIDE AS KERNEL 'LEMHI' DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) Moderate Resistant 4) Moderate Susceptible 0 STRIPE RUST 0 STRIPE RUST 0 LOOSE SMUT POWDERY MILDEW 0 BUNT 2 OTHER (Specify) SBMV 3 BYDV, Septoria, RISECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) Moderate Resistant 4) Moderate Susceptible SAWFLY 0 APHID (Bydv.) 0 GREEN BUG 0 CEREAL LEAF BEETLE OTHER (Specify) — HESSIAN FLY 0 GP 0 A 3 B 2 C		
STEM RUST (Races) 2 LEAF RUST (Races) 0 STRIPE RUST (Races) 0 LOOSE SMUT 2 OTHER (Specify) SBMV 3 BYDV, Septoria, RISECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) Moderate Resistant 4) Moderate Susceptible SAWFLY 0 APHID (Bydv.) 0 GREEN BUG 0 CEREAL LEAF BEETLE 1 OTHER (Specify) HESSIAN FLY (D) GP 1 O A B BYDV, Septoria, RISTAN FLY (D) GREEN BUG 1 O APHID (Bydv.)	•	
POWDERY MILDEW Description Content of the rest of	B. DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) M	Moderate Resistant 4) Moderate Susceptible
INSECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3) Moderate Resistant 4) Moderate Susceptible SAWFLY 0 APHID (Bydv.) 0 GREEN BUG 0 CEREAL LEAF BEETLE OTHER (Specify) HESSIAN FLY 0 GP 0 A 3 B 2 C RACES: 2	2 STEM RUST 2 LEAF RUST	O STRIPE RUST
SAWFLY O APHID (Bydv.) O GREEN BUG O CEREAL LEAF BEETLE OTHER (Specify) HESSIAN FLY RACES: (2)	BUNT	2 OTHER (Specify) SBMV 3 BYDV, Septoria, Rh
OTHER (Specify) HESSIAN FLY O GP O A 3 B 2 C	9. INSECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) 3)	Moderate Resistant 4) Moderate Susceptible
OTHER (Specify) HESSIAN FLY 0 GP 0 A 3 B 2 C	SAWFLY 0 APHID (Bydv.)	O GREEN BUG O CEREAL LEAF BEETLE
	OTHER (Specify) HESSIAN FLY	
	RACES:	2 D 0 E 0 F 0 G

CHARACTER NAME OF VARIETY NAME OF VARIETY CHARACTER Plant tillering Arthur 71 Seed size Arthur 71 Leaf size <u> McNair 1003</u> Seed shape Arthur 71 Leaf color McNair 1003 Coleoptile elongation McNair 1003 Leaf carriage McNair 1003 Seedling pigmentation 1003 McNair

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysts. (See attachment.)

20. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED:

EXHIBIT D

ADDITIONAL DESCRIPTION OF MAGNUM

Magnum is a soft red winter wheat tested as SW73-16A-78. It was bred and developed by North American Plant Breeders.

Magnum is an intermediate height semidwarf variety with good straw strength, intermediate to early maturity and good winterhardiness. Milling and baking properties are good.

Juvenile plant growth habit is semi-erect. Plant color at boot is green with a recurved, twisted flag leaf. Head shape is tapering, middense, awnleted and head color is white at maturity. Glumes are of medium length and medium width with oblique shoulders and obtuse beaks. Seed shape is ovate with rounded cheeks. Seed crease width is narrow and depth is shallow.

Magnum is adapted to the central and northern soft wheat region, primarily that area from Tennessee north to Michigan and from Missouri east through Ohio.

NORTH AMERICAN PLANT BREEDERS QUALITY DATA - 1981

		M	Milling			Baking			
Location	Variety	Test Wt.(#/bu.)	% Break Flour	% Flour Yield	% Flour Protein	Cookie Diameter(mm)	Top* Grain	Scores Mill B	Bake
Brookston, IN	Magnum Arthur 71	60.5 59.3	44.8 45.8	73.8	10.9	90.0	7 6	дα	₩ Q
Booneville, IN	Magnum Arthur 71	5.00	41.2	70.1	11.6	8 8 6 8 8 8	9	ပပ	ບບ
Pana, IL	Magnum Arthur 71	60.7 59.9	41.1 42.9	70.8	11.8	87.8 87.5	ထထ	ပပ	дд
Findlay, OH	Magnum Arthur 71	60.3 58.1	44.3	73.8	13.0	89.0 86.0	99	üΩ	ΰΩ
Chillecothe, OH Magnum Arthur	Magnum Arthur 71	56.4 56.8	46.1	71.2	9.8	90.0	7	дд	4 4
Average	Magnum Arthur 71	59.4	43.5 43.2	71.9	11.4	89.3 88.2	8 8 9 9	щυ	g U
•									

= Excellent A = Excellent, B = Good, C = Acceptable, D = Questionable *Ratings 1-10; I Letter Grades:

Quality characteristics of Magnum compared to Arthur 71 over these locations indicate that Magnum has superior overall milling & baking quality.